

PRODUCT RANGE



Trout River
Live Bottom Solutions

ENHANCED SOLUTION FOR BULK TRANSPORT APPLICATIONS

As the first Australian built Live Bottom manufacturer, Trout River is renowned for providing quality tailored solutions for customers with outstanding service and support.

Trout River Live Bottom units are an enhanced solution for bulk transport applications, providing a safer, more versatile alternative to conventional tipping. With a large range of specialised attachments also available, Trout River has a solution available to suit your specific transport application.

What's more, all Trout River products are designed and manufactured locally in Australia for Australian conditions and come with the support of Freightner Group's national dealer and service support network.



LIVE BOTTOM TRAILERS

The Trout River Live Bottom Trailer is an enhanced solution for bulk transport applications. The specialised capability to empty its content using an interior conveyor belt system, offers operators a safer and more versatile alternative to unload in environments with low structures and overhead obstacles.

Main Applications:

Bulk products including hot mix asphalt, quarry products and paving applications.

Dimensions (nominal):

- Body Length:** 8,500mm up to 11,890mm
- Body Height:** 1,500 up to 1,700m
- Overall Height to Top of Coaming:** 2,750mm up to 2,950mm
- Cubic Capacity:** up to 30m³
(to waterline measurement)

Various dimensions are available upon request.

Configuration:

Single and Road Train configurations including PBS configurations.



Cubic Capacity
Up to 30m³



Warranty
Refer to full
T&C's of sale



LIVE BOTTOM RIGID BODY

Utilising the same technology as the Live Bottom Trailer. Our rigid body units are ideal for inner city work and under overhead obstacles like power lines and bridges.

Main Applications:

Bulk products including hot mix asphalt, quarry products and paving applications.

Dimensions (nominal):

- Body Length: 4,000mm up to 7,500mm
- Body Height: 1,500mm up to 1,700mm
- Overall Height to Top of Coaming: 2,650mm up to 2,850mm
- Cubic Capacity: up to 18.5m³
(to waterline measurement)

Various dimensions are available upon request.

Configuration:

Single rigid body with dog trailer configurable, including PBS configurations.



Cubic Capacity
Up to 18.5m³



Warranty
Refer to full
T&C's of sale



ATTACHMENTS

Trout River has a range of specialised attachments designed for a range of applications.

Contact your Trout River Dealer to discuss which attachment is ideal for your particular use.



• Rear Diffuser



• Extendable Side Conveyor (horizontal)
Extends out 1.5m past the RH side of the body



• 8 & 10 Gate Chip Spreader



• Single Gate Spreader Box



• Pivoting Side Conveyor Extends from 1.5m to 3m past the RH side of the body



• Side Chute



• Removable Water Tank with sprayers



• 6m Rear Conveyor

STANDARD FEATURES

The Trout River range features an impressive list of standard inclusions that allow our customers to get the most out of their equipment.

- Air operated tailgate and grain locks
- One way externally hinged tailgate
- Compensating or rocker feet to landing legs
- Front headboard with tarp cover
- Rear tailboard
- Side markers on every rib
- Double acting cylinders for tailgate operation
- Tailgate safety prop
- Belt to suit hot mix asphalt
- Full Hardox 450 wall sheets
- WABCO EBS System
- 2PAK PPG paint



• Pivoting tailgate rear door



• Remote control operation



• 3 & 4 axle dog trailer configurations via PBS



• Toolbox



• Protective tarp cover



• Multipurpose belt



• Side underrun protection



• Electric tarps



• Reversing of belt



• Simple belt chain adjustment



• Saloon barn doors



• Insulated side walls

OPTIONAL EXTRAS

The customisable nature of the Trout River range ensures its options are practically endless, allowing you to design a solution specific to your transport task. Featured below are just some of the options that can be included. Contact your nearest Trout River Dealer to learn more.

- PBS configurations
- Multi-configuration Dolly supply
- Water tank
- Weight gauge
- Dual kingpins
- Additional lights in compliance with ADR
- Rollover electric tarp
- Variable belt speed controller
- Provision for a variety of tarp brands
- Various suspensions options, drum or disc
- Lift axles
- Reversing cameras
- Rear and side work lights
- Spare wheel carrier
- Emergency stops



freighter.com.au



**Visit the website or scan the QR
for your nearest Freighter Group Dealer**

Freighter Group Operations Pty Ltd.
ABN 74 651 774 720.
Copyright 2025.